AMENDMENTS TO THE CLAIMS

- 1. (Cancelled)
- 2. (Currently Amended) The method Method according to claim-1 13, further comprising selecting according to which a certain second number of the registered centre points P₁, said second number being less than said first number, with their immediate surrounding areas A"₁, are selected for further use.

3-5. (Cancelled)

- 6. (Currently Amended) The method Method for verifying fingerprints according to claim-5_14, according to which wherein the second step in the of second further processing of selected points P₂ with respective part surfaces A₂ comprises: a number of the selected points P₂ and the part surfaces A₂ being analysed as a group as follows:
- analysing a number of the selected points P₂ and their respective part surfaces A₂, including calculating the mean value of the coordinates (x,y) for the points P₂ in the part surfaces A₂, considering the calculated mean value as a point in each part surface A₂, analysing distance between the points P₂ in the group and the mean value; and verifying the fingerprint if the distance between the certain number of points P₂ and the mean value point is below a certain limit value.

- the mean value calculated is seen as a point in each part surface A2,
- -the distance between the points P₂ in the group and the mean value point is analysed,
- -if the distance between a certain number of points P₂ and the mean value point is below a certain limit value, the fingerprint is considered verified.

7. (Cancelled)

8. (Currently Amended) The arrangement Arrangement (100) according to claim-6_15, also-further comprising means (110) for selecting a certain second number of the registered part surfaces A'₁ with associated centre points P₁ and immediate surrounding areas A"₁ for further use.

9-11. (Cancelled)

- 12. (Currently Amended) <u>The arrangement Arrangement (100)</u> according to claim—11_16, also further comprising: the following means for carrying out said second step in the further processing:
- means for carrying out said step of second further processing, including
- means (110) for analysing a group of the points P_2 and the part surfaces A_2 selected for a second step,

- means (110) for calculating a mean value point for the coordinates (x,y) of the points P_2 in the part surfaces A_2 in the group,
- means (110) for calculating the distances between the points P_2 in the group and the mean value point,
- means (110) for analysing whether the distance between a certain number of points P₂ and the mean value point is below a certain limit value, in which case the fingerprint is considered verified.
- 13. (New) A method for registering fingerprint information comprising:

 providing a sensing surface A, at least a part of which receives a finger;

 scanning part surfaces A'1 in the sensing surface A;

determining whether the center point P_1 , with an immediate surrounding area A_1 , of each scanned part surface A_1 is unique within said part surface A_1 ; registering a first number of center points P_1 which, with their respective

registering the respective immediate surrounding areas A"₁ of the registered center points and registering the respective part surfaces A'₁ of the registered points.

immediate surrounding areas A"₁ are unique in their respective part surfaces A'₁;

14. (New) A method for verifying fingerprint information, comprising: providing a sensing surface A, at least a part of which receives a finger; comparing a number of part surfaces A'₁ with their respective center points
P₁ in a registered fingerprint with corresponding part surfaces A'₂ on said sensing surface A; approving a point P_2 with its respective part surface A'_2 if the point and its immediate surrounding area A''_2 corresponds on the basis of certain criteria to a registered center point P_1 , including its immediate surrounding area A''_1 in a corresponding stored part surface A'_1 ;

selecting for further processing a certain number of points P₂ with associated part surfaces A'₂ which have been approved;

displacing information about the part surfaces A'₂ for comparison with part surfaces A'₁ in a predetermined number of angular positions, said comparison being carried out with part surfaces A'₂ in each of said angular positions, so that if said certain number of points P₂ of part surfaces A'₂ satisfy said criteria in one in the same angular position, said points P₂ are selected for further processing;

said further processing of points P₂ with their respective part surfaces A'₂ includes analyzing the points and the part surfaces as follows:

calculating mean values of the coordinates (x,y) for points P_2 and their respective part surfaces A'_2 ;

considering the calculated mean values as a point in each part surface A'2;

selecting a certain number of the points P₂ with their associated part surfaces A'₂ for a second further processing, said selected points having the smallest distance to the mean value point in their respective part surface A'₂.

15. (New) An arrangement for registering fingerprint information comprising:

a central unit;

a sensor with a sensing surface A, at least a part of which receives a finger;

a power supply unit;

means for scanning part surfaces A'1 in said sensing surface A;

means for analyzing whether a center point P_1 its immediate surrounding area A_1 , of the scanned part surface A_1 is unique within the part surface A_1 ;

means for registering a first number of center points P_1 which with their respective immediate surrounding areas A^*_1 are unique in their respective part surfaces A^*_1 ; and

means for registering the part surfaces A'_1 whose center points P_1 are registered.

16. (New) An arrangement for verifying fingerprints on the basis of previously registered information comprising:

a central unit;

a sensor having a sensing surface A, at least a part of which sensing surface A receives a finger;

a power supply unit;

means for comparing a number of part surfaces A'_1 with respective center points P_1 in a fingerprint whose information is registered with the corresponding part surfaces A'_2 on the sensing surface A;

means for selecting and approving a number of points P₂ with corresponding part surfaces A'₂ on the sensing surface A, when said points P₂ with their

immediate surrounding areas A_2 , correspond on the basis of certain criteria to a storage center point P_1 , including its immediate surrounding area A_1 of the storage center point in the corresponding stored part surface A_1 ;

means for further processing said approved points;

means for displacing information about the part surfaces A'₂ for comparison with the part surfaces A'₁ through a predetermined number of angular positions, said means for comparing carrying out a comparison in each of said angular positions, and said means for selecting and approving a number of points, approving said number of points P₂ of part surfaces A'₂ if said points satisfy said criteria in one and the same angular positions;

said means for further processing including:

means for analyzing a group of said approved points P_2 and part surfaces A'_2 , means for calculating a mean value point for coordinates (x,y) of the points P_2 in the part surfaces A'_2 in the group, and means for selecting a certain number of said points P_2 where their associated parts A'_2 for a second further processing, said points P_2 which are selected being those points which have the smallest distance to the mean value point in their respective part surface A'_2 .